

```
/* <source lang="css"> */
```

```
/* Main page fixes */
```

```
    1. interwiki-completestlist {
```

```
        font-weight: bold;
```

```
    } body.page-Main_Page #ca-delete {
```

```
        display: none !important;
```

```
    }
```

```
body.page-Main_Page #mp-topbanner {
```

```
    clear: both;
```

```
}
```

```
/* Edit window toolbar */
```

```
    1. toolbar {
```

```
        height: 22px;
```

```
        margin-bottom: 6px;
```

```
    }
```

```
/* Margins for
```

```
    and
```

```
    */
```

```
        1. content ol, #content ul,
```

```
        2. mw_content ol, #mw_content ul {
```

```
margin-bottom: 0.5em; } /* Make the list of references in Template:Reflist smaller */
```

```
.references-small { font-size: 90%; } /* VALIDATOR NOTICE: the following is correct, but the W3C validator doesn't accept it */ /* -moz-* is a vendor-specific extension (CSS 2.1 4.1.2.1) */ /*
```

```
column-count is from the CSS3 module "CSS Multi-column Layout" */ /* Please ignore any validator errors caused by these two lines */ .references-2column { font-size: 90%;
```

```
-moz-column-count: 2; column-count: 2; } /* Highlight clicked reference in blue to help
```

```
navigation */ ol.references > li:target, sup.reference:target, span.citation:target, cite:target { background-color: #DEF; } /* Ensure refs in table headers and the like aren't bold or italic */
```

```
sup.reference { font-weight: normal; font-style: normal; } /* Styling for citations */ span.citation,
```

```
cite { font-style: normal; word-wrap: break-word; } /* For linked citation numbers and document IDs, where the number need not be shown on a screen or a handheld, but should be included in
```

```
the printed version
```

```
    ◇ /
```

```
@media screen, handheld, projection { span.citation *.prntonly, cite *.prntonly { display: none;
```

```
} } /* wikitable/prettytable class for skinning normal tables */ table.wikitable, table.prettytable {
```

```

margin: 1em 1em 1em 0; background: #f9f9f9; border: 1px #aaa solid; border-collapse: collapse;
} .wikitable th, .wikitable td, .prettytable th, .prettytable td { border: 1px #aaa solid; padding:
0.2em; } .wikitable th, .prettytable th { background: #f2f2f2; text-align: center; } .wikitable
caption, .prettytable caption { font-weight: bold; } /* Default skin for navigation boxes */
table.navbox { /* Navbox container style */ border: 1px solid #aaa; width: 100%; margin: auto;
clear: both; font-size: 88%; text-align: center; padding: 1px; } table.navbox + table.navbox { /*
Single pixel border between adjacent navboxes */ margin-top: -1px; /* (doesn't work for IE6, but
that's okay) */ } .navbox-title, .navbox-abovebelow, table.navbox th { text-align: center; /* Title
and above/below styles */ padding-left: 1em; padding-right: 1em; } .navbox-group { /* Group
style */ white-space: nowrap; text-align: right; font-weight: bold; padding-left: 1em;
padding-right: 1em; } .navbox, .navbox-subgroup { background: #fdfdfd; /* Background color */ }
.navbox-list { border-color: #fdfdfd; /* Must match background color */ } .navbox-title,
table.navbox th { background: #ccccff; /* Level 1 color */ } .navbox-abovebelow, .navbox-group,
.navbox-subgroup .navbox-title { background: #ddddff; /* Level 2 color */ } .navbox-subgroup
.navbox-group, .navbox-subgroup .navbox-abovebelow { background: #e6e6ff; /* Level 3 color
*/ } .navbox-even { background: #f7f7f7; /* Even row striping */ } .navbox-odd { background:
transparent; /* Odd row striping */ } .collapseButton { /* 'show'/'hide' buttons created
dynamically */ float: right; /* by the CollapsibleTables javascript in */ font-weight: normal; /*
MediaWiki:Common.jsare styled here */ text-align: right; /* so they can be customised. */ width:
auto; } .navbox .collapseButton { /* In navboxes, the show/hide button balances */ width: 6em; /*
the vde links from Template:Tnavbar, */ /* so they need to be the same width. */ /* Infobox
template style */ .infobox { border: 1px solid #aaa; background-color: #f9f9f9; color: black;
margin: 0.5em 0 0.5em 1em; padding: 0.2em; float: right; clear: right; } .infobox td, .infobox th {
vertical-align: top; } .infobox caption { font-size: larger; } .infobox.bordered { border-collapse:
collapse; } .infobox.bordered td, .infobox.bordered th { border: 1px solid #aaa; }
.infobox.bordered .borderless td, .infobox.bordered .borderless th { border: 0; }
.infobox.sisterproject { width: 20em; font-size: 90%; } .infobox.standard-talk { border: 1px solid
#c0c090; background-color: #f8eaba; } .infobox.standard-talk.bordered td,
.infobox.standard-talk.bordered th { border: 1px solid #c0c090; } /* styles for bordered infobox
with merged rows */ .infobox.bordered .mergedtoprow td, .infobox.bordered .mergedtoprow th {
border: 0; border-top: 1px solid #aaa; border-right: 1px solid #aaa; } .infobox.bordered
.mergedrow td, .infobox.bordered .mergedrow th { border: 0; border-right: 1px solid #aaa; } /*
Styles for geography infoboxes, eg countries, country subdivisions, cities, etc. */
.infobox.geography { text-align: left; border-collapse: collapse; line-height: 1.2em; font-size:
90%; } .infobox.geography td, .infobox.geography th { border-top: solid 1px #aaa; padding:
0.4em 0.6em 0.4em 0.6em; } .infobox.geography .mergedtoprow td, .infobox.geography
.mergedtoprow th { border-top: solid 1px #aaa; padding: 0.4em 0.6em 0.2em 0.6em; }
.infobox.geography .mergedrow td, .infobox.geography .mergedrow th { border: 0; padding: 0
0.6em 0.2em 0.6em; } .infobox.geography .mergedbottomrow td, .infobox.geography
.mergedbottomrow th { border-top: 0; border-bottom: solid 1px #aaa; padding: 0 0.6em 0.4em
0.6em; } .infobox.geography .mactable td, .infobox.geography .mactable th { border: 0; padding:
0; } /* Makes redirects appear in italics in categories and on Special:Allpages */
.redirect-in-category, .allpagesredirect { font-style: italic; } /* Icons for medialist templates
Template:Listen, Template:Multi-listen start, Template:Video, Template:Multi-video start
◇ /
div.listenlist { background: url("http://forwiki.eu/images/a/a6/Gnome-speakernotes.png");
padding-left: 40px; } /* Style rules for media list templates */ div.medialist { min-height: 50px;
margin: 1em; background-position: top left; background-repeat: no-repeat; } div.medialist ul {
list-style-type: none; list-style-image: none; margin: 0; } div.medialist ul li { padding-bottom:
0.5em; } div.medialist ul li li { font-size: 91%; padding-bottom: 0; } /* Change the external link
icon to an Adobe icon for all PDF files in browsers that support these CSS selectors, like Mozilla

```

and Opera \*/

1. content a[href\$=".pdf"].external,
2. content a[href\*=".pdf?"].external,
3. content a[href\*=".pdf#"].external,
4. content a[href\$=".PDF"].external,
5. content a[href\*=".PDF?"].external,
6. content a[href\*=".PDF#"].external,
7. mw\_content a[href\$=".pdf"].external,
8. mw\_content a[href\*=".pdf?"].external,
9. mw\_content a[href\*=".pdf#"].external,
10. mw\_content a[href\$=".PDF"].external,
11. mw\_content a[href\*=".PDF?"].external,
12. mw\_content a[href\*=".PDF#"].external {

background: url("http://forwiki.eu/images/2/23/Icons-mini-file\_acrobat.gif") center right no-repeat; padding-right: 16px; } /\* Change the external link icon to an Adobe icon anywhere the PDFlink class is used (notably Template:PDFlink). This works in IE, unlike the above. \*/

1. content span.PDFlink a,
2. mw\_content span.PDFlink a {

background: url("http://forwiki.eu/images/2/23/Icons-mini-file\_acrobat.gif") center right no-repeat; padding-right: 17px; } /\* Content in columns with CSS instead of tables

**Template:Columns** \*/ div.columns-2 div.column { float: left; width: 50%; min-width: 300px; } div.columns-3 div.column { float: left; width: 33.3%; min-width: 200px; } div.columns-4 div.column { float: left; width: 25%; min-width: 150px; } div.columns-5 div.column { float: left; width: 20%; min-width: 120px; } /\* Messagebox templates \*/ .messagebox { border: 1px solid #aaa; background-color: #f9f9f9; width: 80%; margin: 0 auto 1em auto; padding: .2em; } .messagebox.merge { border: 1px solid #c0b8cc; background-color: #f0e5ff; text-align: center; } .messagebox.cleanup { border: 1px solid #9f9fff; background-color: #efefff; text-align: center; } .messagebox.standard-talk { border: 1px solid #c0c090; background-color: #f8eaba; margin: 4px auto; } /\* For old WikiProject banners inside banner shells. \*/ .mbox-inside .standard-talk, .messagebox.nested-talk { border: 1px solid #c0c090; background-color: #f8eaba; width: 100%; margin: 2px 0; padding: 2px; } .messagebox.small { width: 238px; font-size: 85%; float: right; clear: both; margin: 0 0 1em 1em; line-height: 1.25em; } .messagebox.small-talk { width: 238px; font-size: 85%; float: right; clear: both; margin: 0 0 1em 1em; line-height: 1.25em; background: #F8EABA; } /\* Cell sizes for ambox/tmbox/imbox/cmbox/ombox/fmbox/dmbox message boxes \*/ th.mbox-text, td.mbox-text { /\* The message body cell(s) \*/ border: none; padding: 0.25em 0.9em; /\* 0.9em left/right \*/ width: 100%; /\* Make all mboxes the same width regardless of text length \*/ } td.mbox-image { /\* The left image cell \*/ border: none; padding: 2px 0 2px 0.9em; /\* 0.9em left, 0px right \*/ text-align: center; } td.mbox-imageright { /\* The right image cell \*/ border: none; padding: 2px 0.9em 2px 0; /\* 0px left, 0.9em right \*/ text-align: center; } td.mbox-empty-cell { /\* An empty narrow cell \*/ border: none; padding: 0px; width: 1px; } /\* Article message box styles \*/ table.ambox { margin: 0px 10%; /\* 10% = Will not overlap with other elements \*/ border: 1px solid #aaa; border-left: 10px solid #1e90ff; /\* Default "notice" blue \*/ background: #fbfbfb; } table.ambox + table.ambox { /\* Single border between stacked boxes. \*/ margin-top: -1px; } .ambox th.mbox-text, .ambox td.mbox-text { /\* The message body cell(s) \*/ padding: 0.25em 0.5em; /\* 0.5em left/right \*/ } .ambox td.mbox-image { /\* The left image cell \*/ padding: 2px 0 2px 0.5em; /\* 0.5em left, 0px right \*/ } .ambox td.mbox-imageright { /\* The right image cell \*/ padding: 2px 0.5em 2px 0; /\* 0px left, 0.5em right \*/ } table.ambox-notice { border-left: 10px solid #1e90ff; /\* Blue \*/ } table.ambox-speedy { border-left: 10px solid #b22222; /\* Red \*/ background: #fee; /\* Pink \*/ } table.ambox-delete { border-left: 10px solid #b22222; /\* Red \*/ } table.ambox-content { border-left: 10px solid #f28500; /\* Orange \*/ } table.ambox-style { border-left: 10px solid #f4c430; /\* Yellow \*/ } table.ambox-move {

```

border-left: 10px solid #9932cc; /* Purple */ } table.ambox-protection { border-left: 10px solid
#bba; /* Gray-gold */ } /* Image message box styles */ table.imbox { margin: 4px 10%;
border-collapse: collapse; border: 3px solid #1e90ff; /* Default "notice" blue */ background:
#fbfbfb; } .imbox .mbox-text .imbox { /* For imboxes inside imbox-text cells. */ margin: 0
-0.5em; /* 0.9 - 0.5 = 0.4em left/right. */ } .mbox-inside .imbox { /* For imboxes inside other
templates. */ margin: 4px; } table.imbox-notice { border: 3px solid #1e90ff; /* Blue */ }
table.imbox-speedy { border: 3px solid #b22222; /* Red */ background: #fee; /* Pink */ }
table.imbox-delete { border: 3px solid #b22222; /* Red */ } table.imbox-content { border: 3px
solid #f28500; /* Orange */ } table.imbox-style { border: 3px solid #f4c430; /* Yellow */ }
table.imbox-move { border: 3px solid #9932cc; /* Purple */ } table.imbox-protection { border:
3px solid #bba; /* Gray-gold */ } table.imbox-license { border: 3px solid #88a; /* Dark gray */
background: #f7f8ff; /* Light gray */ } table.imbox-featured { border: 3px solid #cba135; /*
Brown-gold */ } /* Category message box styles */ table.cmbox { margin: 3px 10%;
border-collapse: collapse; border: 1px solid #aaa; background: #DFE8FF; /* Default "notice"
blue */ } table.cmbox-notice { background: #D8E8FF; /* Blue */ } table.cmbox-speedy {
margin-top: 4px; margin-bottom: 4px; border: 4px solid #b22222; /* Red */ background:
#FFDBDB; /* Pink */ } table.cmbox-delete { background: #FFDBDB; /* Red */ }
table.cmbox-content { background: #FFE7CE; /* Orange */ } table.cmbox-style { background:
#FFF9DB; /* Yellow */ } table.cmbox-move { background: #E4D8FF; /* Purple */ }
table.cmbox-protection { background: #EFEFE1; /* Gray-gold */ } /* Other pages message box
styles */ table.ombox { margin: 4px 10%; border-collapse: collapse; border: 1px solid #aaa; /*
Default "notice" gray */ background: #f9f9f9; } table.ombox-notice { border: 1px solid #aaa; /*
Gray */ } table.ombox-speedy { border: 2px solid #b22222; /* Red */ background: #fee; /* Pink
*/ } table.ombox-delete { border: 2px solid #b22222; /* Red */ } table.ombox-content { border:
1px solid #f28500; /* Orange */ } table.ombox-style { border: 1px solid #f4c430; /* Yellow */ }
table.ombox-move { border: 1px solid #9932cc; /* Purple */ } table.ombox-protection { border:
2px solid #bba; /* Gray-gold */ } /* Talk page message box styles */ table.tmbox { margin: 4px
10%; border-collapse: collapse; border: 1px solid #c0c090; /* Default "notice" gray-brown */
background: #f8eaba; } .mediawiki .mbox-inside .tmbox { /* For tmboxes inside other templates.
The "mediawiki" */ margin: 2px 0; /* class ensures that this declaration overrides other */ width:
100%; /* For Safari and Opera */ /* styles (including mbox-small above) */ } .mbox-inside
.tmbox.mbox-small { /* "small" tmboxes should not be small when */ line-height: 1.5em; /* also
"nested", so reset styles that are */ font-size: 100%; /* set in "mbox-small" above. */ }
table.tmbox-speedy { border: 2px solid #b22222; /* Red */ background: #fee; /* Pink */ }
table.tmbox-delete { border: 2px solid #b22222; /* Red */ } table.tmbox-content { border: 2px
solid #f28500; /* Orange */ } table.tmbox-style { border: 2px solid #f4c430; /* Yellow */ }
table.tmbox-move { border: 2px solid #9932cc; /* Purple */ } table.tmbox-protection,
table.tmbox-notice { border: 1px solid #c0c090; /* Gray-brown */ } /* Disambig and set index
box styles */ table.dmbox { clear: both; margin: 0.9em 1em; border-top: 1px solid #ccc;
border-bottom: 1px solid #ccc; background: transparent; } /* Footer and header message box
styles */ table.fmbox { clear: both; margin: 0.2em 0; width: 100%; border: 1px solid #aaa;
background: #f9f9f9; /* Default "system" gray */ } table.fmbox-system { background: #f9f9f9; }
table.fmbox-warning { border: 1px solid #bb7070; /* Dark pink */ background: #ffdbdb; /* Pink
*/ } table.fmbox-editnotice { background: transparent; } /* Div based "warning" style fmbox
messages. */ div.mw-warning-with-logexcerpt, div.mw-lag-warn-high,
div.mw-cascadeprotectedwarning, div#mw-protect-cascadeon { clear: both; margin: 0.2em 0;
border: 1px solid #bb7070; background: #ffdbdb; padding: 0.25em 0.9em; } /* Div based
"system" style fmbox messages. Used in MediaWiki:Noarticletext and MediaWiki:Readonly lag.
*/ div.mw-lag-warn-normal, div.noarticletext, div.fmbox-system { clear: both; margin: 0.2em 0;
border: 1px solid #aaa; background: #f9f9f9; padding: 0.25em 0.9em; } /* These mbox-small
classes must be placed after all other ambox/tmbox/ombox etc classes. "body.mediawiki" is so

```

they override "table.ambox + table.ambox" above. \*/ body.mediawiki table.mbox-small { /\* For the "small=yes" option. \*/ clear: right; float: right; margin: 4px 0 4px 1em; width: 238px; font-size: 88%; line-height: 1.25em; } body.mediawiki table.mbox-small-left { /\* For the "small=left" option. \*/ margin: 4px 1em 4px 0; width: 238px; border-collapse: collapse; font-size: 88%; line-height: 1.25em; } /\* Support for Template:IPA, Template:Unicode and Template:Polytonic. The second declarations reset the styles for all browsers except IE6, which chokes on the empty comment tags. Please copy any changes to [Template:IPA fonts](#) and [Template:Unicode fonts](#).

◇ /

```
.IPA { font-family: "Charis SIL", "Doulos SIL", Gentium, GentiumAlt, "DejaVu Sans",
Code2000, "TITUS Cyberbit Basic", "Arial Unicode MS", "Lucida Sans Unicode", "Chrysanthi
Unicode"; font-family /**/: inherit; } .Unicode { font-family: Code2000, Code2001, "Free Serif",
"TITUS Cyberbit Basic", "Doulos SIL", "Chrysanthi Unicode", "Bitstream Cyberbit", "Bitstream
CyberBase", Thryomanes, Gentium, GentiumAlt, "Lucida Grande", "Free Sans", "Arial Unicode
MS", "Microsoft Sans Serif", "Lucida Sans Unicode"; font-family /**/: inherit; } .latinx {
font-family: Code2000, Code2001, "TITUS Cyberbit Basic", "Microsoft Sans Serif"; font-family
/**/: inherit; } .polytonic { font-family: "Athena Unicode", Gentium, "Palatino Linotype", "Arial
Unicode MS", "Lucida Sans Unicode", "Lucida Grande", Code2000; font-family /**/: inherit; }
```

1. wpSave {

```
font-weight: bold; } /* class hiddenStructure is defunct. */ .hiddenStructure { display: inline !
important; color: #f00; background-color: #0f0; } /* suppress missing interwiki image links
where #ifexist cannot be used due to high number of requests see .hidden-redlink on
http://meta.wikimedia.orghttp://eiwiki.ro/wiki/MediaWiki:Common.css
```

◇ /

```
.check-icon a.new { display: none; speak: none; } /* Removes underlines from links */
.nounderlines a { text-decoration: none; } /* Remove underline from IPA links */ .IPA a:link,
.IPA a:visited { text-decoration: none; } div.NavFrame { margin: 0; padding: 4px; border: 1px
solid #aaa; text-align: center; border-collapse: collapse; font-size: 95%; } div.NavFrame +
div.NavFrame { border-top-style: none; border-top-style: hidden; } div.NavPic {
background-color: #fff; margin: 0; padding: 2px; float: left; } div.NavFrame div.NavHead {
height: 1.6em; font-weight: bold; background-color: #ccf; position: relative; } div.NavFrame p,
div.NavFrame div.NavContent, div.NavFrame div.NavContent p { font-size: 100%; }
div.NavEnd { margin: 0; padding: 0; line-height: 1px; clear: both; } a.NavToggle { position:
absolute; top: 0; right: 3px; font-weight: normal; font-size: 90%; } /* Hatnotes and
disambiguation notices */ .rellink, .dablink { font-style: italic; padding-left: 2em; margin-bottom:
0.5em; } .rellink i, .dablink i { font-style: normal; } /* Style for horizontal UL lists */ .horizontal
ul { padding: 0; margin: 0; } .horizontal li { padding: 0 0.6em 0 0.4em; display: inline;
border-right: 1px solid; } .horizontal li:last-child { border-right: none; padding-right: 0; } /*
Allow transcluded pages to display in lists rather than a table. Compatible in Firefox;
incompatible in IE6. */ .listify td { display: list-item; } .listify tr { display: block; } .listify table {
display: block; } /* Geographical coordinates defaults. See Template:Coord/link for how these
are used. The classes "geo", "longitude", and "latitude" are used by the Geo microformat. */
.geo-default, .geo-dms, .geo-dec { display: inline; } .geo-nondefault, .geo-multi-punct { display:
none; } .longitude, .latitude { white-space: nowrap; } /* When
is used on the table of contents,
```

```
the ToC will display without numbers */
```

```
.nonumtoc .tocnumber { display: none; } .nonumtoc #toc ul, .nonumtoc .toc ul {
```

```
line-height: 1.5em;
```

## MediaWiki:Common.css

```
list-style: none;
margin: .3em 0 0;
padding: 0;

} .nonumtoc #toc ul ul, .nonumtoc .toc ul ul {

margin: 0 0 0 2em;

}

/* Allow limiting of which header levels are shown in a TOC;

, for instance, will limit to

showing ==headings== and ===headings=== but no further
(as long as there are no =headings= on the page, which
there shouldn't be according to the MoS).
*/

.toclimit-2 .toclevel-2, .toclimit-3 .toclevel-3, .toclimit-4 .toclevel-4, .toclimit-5 .toclevel-5,
.toclimit-6 .toclevel-6, .toclimit-7 .toclevel-7 { display: none; }

/* Styling for Template:Quote */ blockquote.templatequote {

margin-top: 0;

} blockquote.templatequote div.templatequotecite {

line-height: 1em;
text-align: left;
padding-left: 2em;
margin-top: 0;

} blockquote.templatequote div.templatequotecite cite {

font-size: 85%;

}

div.user-block {

padding: 5px;
border: 1px solid #A9A9A9;
background-color: #FFEEFD5;

}

/* Prevent line breaks in silly places:

1) links when we don't want them to
2) HTML formulae

3) Ref tags with group names [Note 1]
```